

PRESS RELEASE



of the International Bremia Evaluation Board for Europe (IBEB-EU)

adres Vossenburchkade 68
2805 PC Gouda
telefoon 0182 68 86 68
fax 0182 68 86 67
e-mail info@plantum.nl
website www.plantum.nl
K.v.K. Rotterdam 24319599
BTW-nr. NL809984738B01

Gouda, May 1, 2017

A new race of *Bremia lactucae*, BI: 33EU identified and denominated in Europe


The International Bremia Evaluation Board for the EU (IBEB-EU) has evaluated all Bremia races found in 2016 and earlier. Once again, many outbreaks of Bremia were caused by new Bremia races with only local importance. However, one race spread in most European countries and IBEB-EU decided to denominate this isolate as the new race BI: 33EU. The Board emphasizes the importance of chemical control and hygiene measures in addition to the use of resistant varieties to prevent the development of new races.

Bremia lactucae, causing downy mildew in lettuce, is genetically very variable. Breeders work together to monitor the changes in the Bremia population in response to the introduction of more and more resistances.

In November 2016, the International Bremia Evaluation Board Europe (IBEB-EU) met in Paris to evaluate the *Bremia lactucae* isolates found in Europe in 2016. In total 593 new isolates were analysed in 2016. Many of these isolates were taken from fields with an unexpected Bremia infection. As expected, the majority of these isolates had a novel virulence pattern, but also isolates were found with the same pattern as the denominated isolates BI: 24EU, 29EU, 30EU and 32EU. The most frequently found denominated race was BI: 29EU.

Most of the novel isolates encountered in 2016 were found only in a restricted area and only in one season. However, two isolates appeared to have spread more widely and survived more than one season. These isolates were further evaluated by IBEB-EU. In April 2017 IBEB-EU concluded that only one of these widespread, novel isolates shows consistent results in different labs. This isolate is denominated as **BI:33EU**. BI: 33EU is widely spread in France and was also found in Germany, the Netherlands, United Kingdom, Scandinavia and Belgium. Until now it has not spread to South European countries. BI: 33EU is similar to BI: 29EU, but breaking a few additional resistances. The sextet code for BI: 33EU is 'IBEB-C 62-07-06'.

Proper hygiene practices, such as removal of debris and diseased plants, will always reduce the spread of Bremia in lettuce crops. The board emphasizes that resistance to BI: 16-33EU should not be understood as a full insurance against Bremia. Occasionally, problems may occur due to a local new isolate that does not survive over years and does not spread to other areas. Therefore, chemical control and hygiene measures will be important for any lettuce variety. Fungicide application, especially in a young plant stage, gives additional protection to resistant lettuce crops, and will help prevent the development of new Bremia races.



Denominated isolates are given a standardized code, following the ISF guidelines for pathogen coding. A new element added to the Bremia race code is the suffix to distinguish EU and US races, referring the distinct populations in Europe (EU) and America (US). Detailed studies did not show long distance spread of Bremia-isolates between the two continents. Therefore the denomination of European and American isolates is performed by two separate, closely collaborating continental working groups, IBEB-EU and IBEB-US.

The sextet code for BI: 33EU is 'IBEB-C 62-07-06'. The sextet code describes the virulence pattern on a fixed set of lettuce lines for race determination. The IBEB set was revised recently. The IBEB-C set was adopted on March 1st 2016. The IBEB-C set is an updated and streamlined version of the previous EU-B set (see table below). This information is also available at the ISF website: <http://www.worldseed.org/our-work/plant-health/other-initiatives/ibeb/>

IBEB-EU consists of representatives of the Dutch and French seed business associations Plantum NL and UFS, and the organisations of GEVES and Naktuinbouw. IBEB is supported by several Bremia researchers across Europe. The breeding companies were represented by lettuce breeders of Bejo Zaden, Enza Zaden, Gautier Semences, Bayer CropScience Vegetable Seeds, Rijk Zwaan, Monsanto Seminis, Syngenta Seeds and Vilmorin.

For testing and breeding purposes all nominated races and the IBEB-C determination variety set are available at GEVES/SNES (France) and at Naktuinbouw (The Netherlands).

Editorial note:

For more information please contact:

SNES-GEVES France

Mrs. Valérie Grimault,

telephone +33 (0)2 41 22 58 00

e-mail: Valerie.Grimault@geves.fr

Naktuinbouw Variety Testing department,

Mr. Diederik Smilde, Mr. Richard Ludlage or Mrs. Amanda van Dijk,

telephone +31 (0)71 33 26 213

e-mail: Resistentie@naktuinbouw.nl

www.naktuinbouw.nl.

Attachment: Table IBEB C set for race determination – see next page

Table: IBEB-C set for race determination

Variety / Line	Set position		Sextet value
GreenTowers	S0		
Dandie	S1	Block 1	1
R4T57D	S2		2
UC DM14	S3		4
NunDm15	S4		8
CGDm16	S5		16
Colorado	S6		32
Fr Rsaal-1	S7	Block 2	1
Argelès	S8		2
RYZ2164	S9		4
RYZ 910457	S10		8
Bedford	S11		16
Balesta	S12		32
Bartoli	S13	Block 3	1
Design	S14		2
Kibrille	S15		4
	S16		8
	S17		16
	S18		32